

## TENDER FOR SUPPLY INSTALLATION AND COMMISSIONING OF EQUIPMENT (DATA VISUALISATION WALL) AT INDIAN INSTITUTE OF TECHNOLOGY DHARWAD

## NOTICE INVITING TENDER (NIT) / RFP

Tender No.		IITDH/MMD/EE/2021-22/009		
Description		TENDER FOR SUPPLY INSTALLATION AND COMMISSIONING OF DATA VISUALISATION WALL AT INDIAN INSTITUTE OF TECHNOLOGY DHARWAD		
Tender Date		15.06.2021		
Tender Categor	ry	Goods		
Tender Type		Open Tender		
No. of Covers		2		
Covers Inform	ation / Submission of Bids			
Cover No.	Cover Type	Description		
1	Technical	EMD, Schedule of Requirement and Compliances, Bidders Information, Previous Supply Orders etc.		
2	Financial	Financial Bid		
Technical Bid ( Both these seal	ystem will be followed for this tender. In this system Envelope No. A) and <u>Commercial Bid</u> (Envelope No. B)	bidder must submit their offer in separate sealed envelopes as – <u>).</u> also be sealed and duly super-scribed with our Tender No. & Due		
<u>Note:</u> The tech rejected by IIT Initially Techni will be opened	nnical offer should not contain any price information. I Dharwad. cal Bids will be opened and evaluated by the purchase later.	if the price quoted is submitted in technical bid the tender will be committee. Commercial bids of only Technically qualified bidders		
	hase Order will be awarded to the <b>lowest bidder (L-1)</b>			
Form of Contra		Buy		
Bid Validity (Da		90 Days		
	/Delivery Period (Days)	30 Days		
	Submission of queries via email to armm@iitdh.ac.in	29.06.2021		
End date for Su	ubmission of queries via email to armm@iitdh.ac.in	06.07.2021 till 11:00 AM		
	al/reply of queries (to be uploaded on the website) revised tender (if required)	06.07.2021 04:00 PM		
Contract Type:		Open Tender		
Delivery Locati	on:	IIT Dharwad, Karnataka, India		
Pin Code		580011		
Bid Submission		29.06.2021		
Bid Submission	n End Date & Time	20.07.2021 till 10:00 AM		
Place of Submi	ssion of Bid	The Assistant Registrar (MMD), IIT Dharwad Off Pune Bengaluru Highway, Near High Court, Dharwad, Karnataka- 580011, India		
Bid Opening D	ate & Time	20.07.2021 at 11:00 AM		
Bid Opening Pl	lace	The Assistant Registrar (MMD), IIT Dharwad Off Pune Bengaluru Highway, Near High Court, Dharwad, Karnataka- 580011, India		
Other Terms &	Conditions	3 Yr Onsite Service, Next Business Day including Monitor, KBD, Mouse from brand only. In case of HARDWARE breakdown, any service calls must be attended by OEM engineers directly. Post installation, 3-year product warranty should reflect in the support web site of the OEM		
Tender Inviting	g Authority:	The Assistant Registrar (MMD), on behalf of Director, IIT Dharwad Address: Off Pune Bengaluru Highway, Near High Court, Dharwad, Karnataka- 580011, India		

Sd/-

Assistant Registrar (MMD), IIT Dharwad (For and on behalf of Director, IIT Dharwad)



# Section - I: Invitation of the Bids & Submission Procedure details

- 1. Indian Institute of Technology Dharwad invites sealed tenders (under two bid system) from reputed suppliers/manufacturers OR authorized dealers for supply installation and commissioning of data visualisation wall as per the technical specifications given in the schedule annexed to the tender.
- 2. The bidder should note that the technical specifications mentioned in **Section IV** form the core of the product. The offers must strictly be as per the specifications given. At the same time, it must be kept in mind that mere copying of our specifications in the quotation shall not make the technical bid eligible for consideration. A bid has to be supported with original catalogue OR the schematic of the quoted item duly signed and the same must be sent along with the technical bid. Non-compliance with above shall be treated as incomplete/ambiguous and the bid may be ignored without giving an opportunity to the bidder for further clarification/negotiation etc.
- 3. In order to specify/modify technical specifications of the equipment and clarify various issues as may arise, a query session (by email) for clarification is provided. Resultant rebuttal/re-publishing of modified RFP (as the case may be) will be published, if required. <u>The bidders are advised to utilise the period given for clarifying any issue pertaining to RFP and to bring out any limitation / suggestion in the RFP. After the period is over, no issue will be addressed and the institute will assume general acceptance of RFP terms and conditions. Prospective bidders have to submit their bids post rebuttal/modification in RFP (as the case maybe).</u>
- 4. Any item not specifically mentioned in the tender document but essential in the opinion of the bidder for successful supply installation and commissioning of data visualisation wall, should be brought to the notice of the IIT Dharwad within the pre-bid clarification period and before end date of submission of queries. On clearance from our side, the same may be included in the modified RFP (as the case may be). However, the decision as to whether to consider such items or not, rests with the Institute.
- 5. The bidder shall ensure that the bid submitted by him includes all accessories (as per annexures) for full execution of contract. The bidder shall not charge extra for additional items required to meet the operational requirement at the stage of installation and commissioning.

Sl. No.	Particulars of the item(s)	Requirement
(a)	SUPPLY INSTALLATION AND COMMISSIONING OF DATA VISUALISATION WALL AT INDIAN INSTITUTE OF TECHNOLOGY DHARWAD	Individual item requirements as per <u>Section IV</u>

- 6. Quantity requirements of each item as per the specification enclosed at **Section IV**.
- 7. It may kindly be noted by all the prospective bidders that the <u>tender will be awarded to the</u> <u>lowest successful bidder (L-1) for Grand Total (as per tender subject).</u>



## Procedure for Bid submission

8. Every page, containing the said procedure for submission of bid and other important conditions, are to be signed by the bidder (to be serially numbered & bounded) and to be submitted along with their Technical bids towards their acknowledgement that they have gone through all the contents in these pages and in the Annexure as well and they are agreeing to comply to all of the conditions mentioned there. Non adherence to this may lead to the disqualification of the bid without further notice.

9. Two bid system: The offers/bids are to be submitted under a two bid system, namely (i) Technical Bid and (ii) Commercial Bid. The Technical Bid must contain all the details as specified in the Annexures along with the terms and conditions whereas Commercial Bid must indicate the quantity & rate only. There must not be any price element in the technical bid.

10. Sealing & marking of bid: The tender should be submitted in a proper manner with index for easy identification i.e.: -

Envelope Number	To be super-scribed as
А	Technical Bid documents
В	Commercial Bid / Price Bid / BOQ

**Envelope – A** (duly sealed): Should contain the documents as listed under Technical Bid Qualification. **Envelope – B** (duly sealed): should contain the Commercial Bid (strictly as per the format provided).

Both the above envelopes should clearly be marked on top about the type of envelopes (i.e. A or B), details of contents in envelopes and name of agency submitting the bid.

The envelopes (A & B) after sealing must be kept in one bigger envelope and shall be addressed to: <u>The Assistant Registrar (MMD)</u>

<u>IIT Dharwad, Off Pune Bengaluru Highway.</u> Next to High Court, Dharwad - 580011, Karnataka, KA, INDIA

The bigger envelope must be sealed and must bear the following identification on top: -

Tender for 'SUPPLY INSTALLATION AND COMMISSIONING OF DATA VISUALISATION WALL'

a) Tender Number: \_\_\_\_\_ Date: \_\_\_\_\_ and

b) Name and Address of the Bidder.

If the outer envelope is not sealed and not marked as above, the Institute will assume no responsibility for the misplacement or premature opening of Bid.

11. **Submission of tender**: The tender can be personally dropped in the tender box (kept near the IIT Dharwad building entrance outside MMD Section under supervision of a security guard) on all working days during working hours (except Saturday, Sunday & Holidays) before the date and time as specified in the Tender Notice and up to 10.00 AM on the last date of submission of tender. The tender can also be sent by registered post to The Assistant Registrar (MMD), Indian Institute of Technology Dharwad, Off Pune Bengaluru Highway, Next to High court, Dharwad - 580011, Karnataka, INDIA. Tender shall not be received after expiry of the time as specified in the tender notice. Late bids will not be accepted. However, in case the due date of tender submissions happens to be a holiday or office is closed due to any reason, then the tender submission date will automatically extend to the next working day (end submission time remains same). *Those prospective vendors who are facing issues related to courier/postal services in their areas due to the lockdown scenario, are hereby intimated to send their bids via email to <u>armm@iitdh.ac.in.</u> Two Password Protected files (.pdf) (One Technical Bid & One Price Bid) can be submitted over e-mail. The corresponding passwords may be shared half an hour before the scheduled opening of respective bids. There is no chance for submission of revised bids for bids submitted once over email.* 



## 12. TECHNICAL BID DOCUMENTS & ELIGIBILITY CRITERIA:

Only those bidders fulfilling the following Eligibility Criteria (supported by documents) are expected to participate in the Tender <u>(all criteria to be mandatorily fulfilled for technical qualification)</u>: -

S. No.	Eligibility Criteria	Document required		
2	Duly signed & stamped copy of the entire tender	The entire tender document to be duly signed & stamped by		
а	document.	the bidder on each page.		
b	PAN Card and GST certificate	Copy of PAN Card and GST certificate to be provided.		
c	Income tax returns (ITRs) for last three consecutive financial years	Copy of Income tax returns for last three consecutive financial years (period from 2018-19, 2019-20 and 2020-21).		
d	Proof of establishment of company/business for a period of more than 3 years.	The Bidder/OEM must be a reputed supplier/ manufacturer/ authorized dealer / authorized distributor/ authorized stockist/ channel partner in the business of supply, installation and commissioning of DATA VISUALISATION WALL for a period not less than 3 years (i.e. must be in this business from 2018 or earlier). The certificate of incorporation or any other relevant certificate to this effect is required to be enclosed. If necessary, the representative of IIT Dharwad may visit the Bidder/OEM Ex-Works for evaluation.		
e	Previous experience & copy of performance certificates along with Purchase Orders	The bidder/OEM must have successfully executed the supply installation and commissioning of DATA VISUALISATION WALL with IITs/ NITs/ IISc/ IISERs/ Central Universities/ laboratories of national importance. Copy of at-least one performance certificate (along with requisite purchase orders) of supply, installation & commissioning of DATA VISUALISATION WALL to IITs/ NITs/ IISc/ IISERs/ Central/Govt. Universities/laboratories of national importance.		
f	Proof that the bidder / OEM had not been blacklisted or debarred anywhere in India or abroad by any organization.	A Certificate/Undertaking on the letter head of the Company to the effect that the bidder/ Manufacturer had not been blacklisted or debarred anywhere in India or abroad by any organization.		
g	<ul> <li>Duly filled and completed Section-IV</li> <li>Compliance for commercial terms of tender</li> <li>Compliance for technical specifications of the equipment to be supplied</li> <li>Bidders information &amp; Reasonability of prices</li> </ul>	<ul> <li>The following information on the letter head of the company / bidder:</li> <li>Compliance for commercial terms of tender</li> <li>Compliance for technical specifications of the equipment to be supplied</li> <li>Bidders information &amp; Reasonability of prices</li> </ul>		

- 13. The tenderer must submit all documents required for evaluation of technical bid and sought in the RFP as forming part of technical evaluation with signature and seal of the competent authority of the firm. In the event of non-receipt of any of the documents forming part of Technical Bid, tenderer may be disqualified from the process. No paper relating to the technical bid will be received during the Technical Bid evaluation or afterwards except for cases recommended & decided by the Procurement Committee. Further, any separate correspondence in the matter shall also not be entertained.
- 14. During evaluation of the Technical Bid, the Procurement Committee will scrutinize the documents mentioned above and may forward any or all the documents to the concerned authorities for verification and authentication. In case of any document(s) as submitted by the tenderer is found/reported to be fake, the tenderer will be out of the tendering process and suitable legal action may be initiated against the tenderer.
- 15. Besides, scrutinizing the documents submitted with the Technical Bid, the tenderer may be interviewed by the Committee to assess the eligibility, capability, and suitability of the tenderer. As such, the presence of the tenderer or any authorized representative of the tenderer in the Technical Bid meeting & commercial bid opening or as and when desired by authorities of IIT Dharwad is preferable.



16. The above mentioned basic eligibility conditions and additional clauses are broad guidelines for prequalification and the Director, IIT Dharwad hereby reserves the right to relax/ alter/ modify/ add any or all the conditions.

## 17. Delivery terms (only D.D.P. IIT DHARWAD mode of delivery acceptable):

Items should be door delivered at IIT Dharwad, Karnataka, India – 580011.

In case of indigenous supplies, the bidder is requested to specify it clearly in Section-IV of this document. In order to obtain the concessional GST certificate, the bidder must quote in INR only and the delivery term acceptable shall only be door delivery at IIT Dharwad. The supplier should arrange for entire process from origin of equipment to the Stores at IIT Dharwad (including charges for safe packing, Marking & labeling, loading charges, road/air freight, insurance of goods, unloading charges, transport & unloading at buyer destination, installation, commissioning, demonstration and training; within the quoted price).

#### 18. Freight & Insurance:

No freight and insurance charges will be provided and the materials are to be delivered at IIT Dharwad WALMI Campus, IIT Dharwad at the cost and risk of the supplier/Bidder within quoted price as per the delivery terms mentioned in the above paragraphs.

#### 19. Warranty declaration:

- a. The Bidder/supplier must give an unconditional guarantee and comprehensive on-site support and maintenance for a period of **three years** from the date of successful installation and commissioning.
- b. Any deviation in the equipment and the specification from the accepted terms and conditions may lead to rejection and non-acceptance of stores. In such case, the bidder/manufacturer is required to supply all the items in the specified form to the satisfaction/ specifications mentioned in the order and demonstrate at their own cost. The payments shall be made only after receiving the materials as per required specification and quality to the satisfaction of the competent authority of IIT Dharwad.

#### 20. Supply & Installation:

- a. The supplier is required to carry out the supply, & installation of the subject items at the IIT Dharwad installation site within the delivery period; otherwise the penalty clause will be the same as per the supply of material (refer to the liquidated damages below).
- b. In case of any mishandling/damage to items and supplies during carriage from the origin of items to the installation site, the supplier has to replace it with new items/supplies immediately at his own risk of cost. Supplier will settle his claim with the insurance company as per his convenience. IIT Dharwad will not be liable for any type of losses in any form.

#### 21. Liquidated Damages:

The equipment should be delivered/dispatched to destination and ready for use not later than the delivery period specified. If the supplier/Bidder fails to deliver any or all the stores or perform the service by the specified date, liquidated damages @0.5% per week or part thereof in respect of the value of the delayed stores will be deducted from the bill subject to a maximum of 10% value. Same terms are applicable for installation, training and demonstration clause mentioned above.

#### 22. Dispute and Jurisdiction:

Any legal disputes arising out of any breach of contract pertaining to the whole process of this tender shall be settled in the court of competent jurisdiction in the district of Dharwad, Karnataka.



#### 23. Acknowledgement by the Bidder:

It is hereby acknowledged that we have gone through all the schedules as well as the conditions mentioned above and we agree to abide by these.

Date:

Signature of the Bidder along with official seal. Place:

CANVASSING OR OFFERING AN ADVANTAGE OR ANY OTHER INDUCEMENT BY ANY PERSON WITH A VIEW TO INFLUENCING ACCEPTANCE OF A BID WILL BE AN OFFENSE UNDER LAWS OF INDIA. SUCH ACTION WILL RESULT IN THE REJECTION OF BID, IN ADDITION TO OTHER PUNITIVE MEASURES.

Sd/-Assistant Registrar (MMD), IIT Dharwad (For and on behalf of Director, IIT Dharwad)



## Section II: Instructions to Bidders

- 1. Any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. (Refer to OM No. F.No.6/18/2019-PPD dt. 23/07/2020 of Ministry of Finance).
- 2. "Bidder" (including the term 'tenderer', 'consultant' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.
- 3. "Bidder from a country which shares a land border with India" for the purpose of this Order means:
  - a. An entity incorporated, established or registered in such a country; or
  - b. A subsidiary of an entity incorporated, established or registered in such a country; or
  - c. An entity substantially controlled through entities incorporated, established or registered in such a country; or
  - d. An entity whose beneficial owner is situated in such a country; or
  - e. An Indian (or other) agent of such an entity; or
  - f. A natural person who is a citizen of such a country; or
  - g. A consortium or joint venture where any member of the consortium or joint venture falls under any of the above
- 4. The beneficial owner for the purpose of (iii) above will be as under:
  - i. In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercises control through other means.

#### Explanation-

- a) "Controlling ownership interest" means ownership of or entitlement to more than twenty-five per cent. of shares or capital or profits of the company;
- b) "Control" shall include the right to appoint majority of the directors or to control the management or policy decisions including by virtue of their shareholding or management rights or share holders agreements or voting agreements;
- ii. In case of a partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership;
- iii. In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;
- iv. Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;
- v. In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.
- 5. An Agent is a person employed to do any act for another, or to represent another in dealings with third person.
- 6. Cost of Bidding:



The Bidder shall bear all costs associated with the preparation and submission of its Bid and the Purchaser shall not be held responsible or liable for those costs incurred regardless of the conduct or outcome of the bidding process.

#### 7 Amendments to Tender Document:

- i. At any time prior to the deadline for submission of bids, IIT Dharwad may, for any reason, whether on its own initiative or in response to the clarification sought by a prospective BIDDER may modify the bid document by issuing necessary corrigendum.
- ii. All prospective BIDDERs who have downloaded the tender document are requested to visit IIT Dharwad website for any amendments / modifications and make a note of the same, which will be binding on them.

#### 8 Bid Opening Process:

- i. In case of one bid system, technical & financial bid will be opened simultaneously in the presence of representatives of the bidders at IIT Dharwad.
- ii. In case of two bid system, The Technical Bid will be opened in the first instance in the presence of Technical Evaluation Committee (TEC)/MMD & representatives of the bidders at IIT Dharwad.
- iii. Financial bids of only those bidders, whose bids are found technically qualified, by the Technical Evaluation Committee, will be opened in the presence of the Technical Evaluation Committee (TEC)/MMD & bidders' representatives subsequently at a later date for further evaluation. Date and Time of financial bid opening shall be intimated to technically qualified bidders only.
- iv. One authorized representative of each of the bidder would be permitted to be present at the time of opening of the bids.
- v. The authorized representative of bidders, present at the time of opening of the bids shall be required to sign an attendance register as a proof of having attended the Technical/Commercial bid opening session.

#### 9 Supplementary offer /Modification of Original Bid:

BIDDER desirous to modify their offer/terms may submit their revised / supplementary offer (s) strictly within the Tender Opening Date (TOD) by clearly stating to the extent of updation done to the original offer. The purchaser reserves the right to open the original offer along with the revised offer.

#### 10 **Confidentiality**:

- i. Information relating to the evaluation of bids, and recommendation of Contract award, shall not be disclosed to Bidders or any other persons not officially concerned with such process until information on Contract award is communicated to all Bidders. On completion of Technical Evaluation by the Committee, Vendors whose offer do not meet with the users Technical Specification will be restricted to participate in commercial bid opening process. Information regarding the criteria for disqualification of the tender would be communicated to the bidder in writing (preferably through email provided in the bid).
- ii. Any attempt by a Bidder to influence the Purchaser in the evaluation of the Bids or Contract award decisions may result in the rejection of its Bid.
- iii. Notwithstanding, from the time of Bid opening to the time of Contract award, if any Bidder wishes to contact the Purchaser on any matter related to the bidding process, it must be done either through e-mail or in writing.

#### 11 Deviation, Reservations and Omissions:

During the evaluation of Bids, the following definitions apply:

- i. "Deviation" is a departure from the requirement specified in the Tender Documents;
- ii. "Reservation" is the setting of limiting conditions or withholding from complete acceptance of the requirements specified in the Tender Documents; and



iii. "Omission" is the failure to submit part or all of the information or documentation required in the Tender Documents.

#### 12 **Correction of Arithmetical Errors**:

- i. Provided that the Bid is substantially responsive, the Purchaser shall correct arithmetical errors on the following basis:
  - i. if there is a discrepancy between the unit price and the line item total that is obtained by multiplying the unit price by the quantity, the unit price shall prevail and the line item total shall be corrected, unless in the opinion of the Purchaser there is an obvious misplacement of the decimal point in the unit price, in which case the line item total as quoted shall govern and the unit price shall be corrected;
  - ii. if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
  - iii. if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (a) and (b) above.
- ii. Bidders shall be requested to accept correction of arithmetical errors. Failure to accept the correction in accordance with the same, shall result in the rejection of the Bid.

#### 13 **Evaluation of Bid**:

- i. Technical bids will be evaluated for suitability as per documentary validation, eligibility criteria and technical specifications laid out in this tender document. The bids found suitable will be recommended by the Procurement committee and after approval of competent authority shall be deemed as technically suitable offers. The technically qualified bidders will be informed accordingly and commercial bids of such offers will be evaluated on a suitable designated time and date. Unopened commercial bids of the other bidders, who are not found technically suitable will be returned.
- ii. IIT Dharwad will evaluate technical and commercial acceptable offers on landed <u>Net Price basis</u>.
- iii. In case any BIDDER is silent on any clauses mentioned in this tender documents, IIT Dharwad shall construe that the BIDDER had accepted the clauses as per the invitation to tender no further claim will be entertained.
- iv. No revision in the terms and conditions quoted in the offer will be entertained after the last date and time fixed for receipt of tenders.
- 14 All bidders including MSE bidders should mandatorily submit the local content declaration certificate (Item wise) as per Annexure-A along with their technical offer of Part-I bid. Bidders shall be categorized as Class-I Local Supplier" or "Class-II Local Supplier" or "Non-local Supplier" based on the local content declared by them in their declaration certificate. Bidders not submitting the declaration certificate or not indicating / declaring / specifying the local content percentage in the declaration certificate or Bidder submitting Incomplete declaration certificate or declaration not certified by appropriate authority as per tender or bidders submitting erroneous or ambiguous or blank declaration of local content shall be categorically rejected.

#### 15 **Price Bid (For Indigenous Supplies to be quoted in INR only):**

- i. Quoting of Price (s): Price quoted should be in Indian Rupees only and free delivery at IIT Dharwad Campus site.
- ii. PRICE BID must be submitted in enclosed Price Bid Format only (designed for indigenous/local supplies only).
- iii. Prices should include all the taxes including concessional GST @5% (as applicable) and all other duties/levies.



- iv. If the price is not quoted in Price Bid Format provided in the tender document then, IIT Dharwad will reject the bid. The bidders are required to attach their blank price bid format in technical bid documents for this purpose (without indicating the price quoted).
- v. If the bidder wishes to give pricing details, it may be attached in separate sheet. It is requested not to quote optional or multiple items, otherwise your quote may be rejected. The bidders are requested to quote only one option satisfying the tender terms & not multiple options.

#### 16 **Corrupt & Fraudulent Practices**:

IIT Dharwad requires that bidders, suppliers, contractors and consultants, if any, observe the highest standard of ethics during the procurement and execution of such contracts. In pursuit of this policy, the terms set forth below are defined as follows:

- i. "Corrupt practice "means the offering, giving, receiving, or soliciting, directly or indirectly, of anything of in kind/value to influence the action of a public official in the procurement process or in contract execution;
- ii. "Fraudulent practice" means a misrepresentation or omission of facts in order to influence a procurement process or the execution of a contract;
- iii. "Collusive practice" means a scheme or arrangement between two or more bidders, designed to establish bid prices at artificial, non- competitive levels; and
- iv. "Coercive practice" means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in the procurement process or affect the execution of a contract;

IIT Dharwad will reject a proposal for award if it determines that the Bidder recommended for award has, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for the Contract in question.

#### 17 **Cancellation of Tender**:

- **i.** Notwithstanding anything specified in this tender document, Purchaser/IIT Dharwad in his sole discretion, unconditionally and without assigning any reasons, reserves the rights:
  - 1. To accept or reject lowest tender or any other tender or all the tenders.
  - 2. To accept any tender in full or in part.
  - 3. To reject the tender, offer not confirming to the tender terms.
  - 4. To cancel the tender at any stage during the evaluation & before award of work
- **ii.** Offer which deviates from the vital conditions (as illustrated below) of the tender shall be rejected:
  - 1. Non-submission of complete offers as mentioned in the tender document,
  - 2. Receipt of offers after due date and time and or by email / fax (unless specified otherwise).
  - **3.** Receipt of offers in open condition.
  - 4. Conditional Tenders and Unsigned Tenders will also be rejected.

#### 18 **Delivery**:

The successful BIDDER should deliver the material as per tender document/purchase order. The successful bidder should also emboss stickers of purchase order number on the material to be delivered at IIT Dharwad.

Sd/-Assistant Registrar (MMD), IIT Dharwad (For and on behalf of Director, IIT Dharwad)



# Section III: Conditions of Contract

- **1.** Award of Contract:
  - a) IIT Dharwad shall award the contract to the technically qualified eligible BIDDER whose bid has been determined as the lowest evaluated commercial bid <u>under this tender subject</u>.
  - b) If more than one BIDDER happens to quote the same lowest price, IIT Dharwad reserves the right to award the contract to more than one BIDDER or any BIDDER.

#### 2. <u>Prices & Taxes applicable (Customs Duty / IGST / SGST / CGST):</u>

- a) For Indigenous Supplies (bids in INR) As per Govt. of India Notification No. 47/2017-Integrated Tax (Rate) dt. 14<sup>th</sup> November 2017, Notification No. 45/2017-Central Tax (Rate) dt. 14<sup>th</sup> November 2017 and Notification No. 45/2017-Union Territory Tax (Rate) dt. 14<sup>th</sup> November 2017; IIT Dharwad is eligible to avail concessional GST rates. The applicable rate of IGST shall be 5% in case of Inter-state purchase and shall be the same as 5% (CGST @2.5% & SGST @2.5%) in case of purchases within the state. We shall provide the concessional GST certificate under this notification to enable you to deliver the goods as per the rates specified and to raise an invoice subsequently on this rate only. The supplier shall pay and bear all other liabilities, taxes and duties not specifically agreed by the Purchaser in the contract.
- **3.** Pre-installation:

Please also mention the pre-installation requirements for the equipment like ambient temperature, humidity, civil work, weather specifications, power specifications, etc. When all items are provided, full performance satisfaction should be demonstrated to IIT Dharwad.

- **4.** Installation:
  - a) BIDDER shall be responsible for installation wherever applicable and for after sales service during the warranty period and thereafter as mentioned in the contract.
  - b) Installation to be arranged by the supplier within the quoted price and the same is to be done within 15 days of the arrival of the equipment at site or whenever informed by IIT Dharwad.

#### 5. Terms of Payment (For Indigenous Supplies and quotes in INR):

- i. Payment within 30 days from the date of successful delivery, installation and receipt of Acceptance Certificate of concerned Department / Section / Materials Management Division, IIT Dharwad.
- ii. Payment shall be made by electronic fund transfer or such other mode offered by the Bank.
- iii. IIT Dharwad does not pay advance payment to party. Any request of Advance payment will be summarily rejected.

#### **6.** Transfer and Subletting:

The seller shall not sublet, transfer, assign or otherwise part with the acceptance to the tender or any part thereof, either directly or indirectly, without the prior written permission of the Purchaser.

#### **7.** Force Majeure:

Force Majeure will be accepted on adequate proof thereof.

8. Specification and Samples:

The suppliers shall supply the stores in accordance with the specifications/ descriptions of stores given in the acceptance of tender. The Purchaser reserves the rights to alter the description of stores including drawings given in the acceptance of tender. In the event any such alteration result in any implication to the delivery and price, such implication shall be mutually agreed between the Purchaser and supplier.



## **9.** Supervision of Erection and Commissioning:

Successful BIDDER shall depute concerned specialist, for supervision of erection & commissioning of the machine to be carried out. The successful BIDDER shall make necessary arrangement at their own expenses for stay, transport and other expenses of their specialist during their stay in Dharwad which also includes imparting free of cost training to IIT Dharwad personnel.

#### 10. Performance Guarantee (GFR 2017 Rule 171):

- i. Performance Guarantee Bond is mandatory.
- ii. Successful tenderer/ bidder should submit performance guarantee on or before 15 days from the date of issue of order acknowledgement. The PBG to be furnished in the form of bank guarantee as per proforma, for an amount covering 3% of the purchase order value.
- iii. The Performance Guarantee should be established in favour of "The Registrar, IIT Dharwad".
- iv. PBG to be established through any of the National Banks/Scheduled bank (whether situated at Dharwad or outstation) with a clause to enforce the same on their local branch or any scheduled bank (other than National bank). Bonds issued by co-operative banks will not be accepted.
- v. Performance Guarantee Bond shall be for the due and faithful performance of the contract and shall remain binding, notwithstanding such variations, alterations for extensions of time as may be made, given, conceded or agreed to between the successful tenderer and the purchaser under the terms & conditions of acceptance to the tender.
- vi. The successful tenderer is entirely responsible for due performance of the contract in letter and spirit and all other documents referred to in the acceptance of tenders.
- vii. The PBG shall be kept valid during the period of contract and shall continue to be enforceable for a period (as mentioned in the tender document) or up to warranty period whichever is later from the date of order acknowledge. In case PBG needs extensions up to warranty period then supplier shall initiate extensions to PBG one month prior to expiry of PBG. For successful suppliers, if PBG is not submitted within **15 days** from the date of Order Acknowledgement, then the Purchase Order may be cancelled.

#### viii. No interest shall be payable by the buyer to the Bidder on PBG.



FORMAT FOR BID SECURITY DECLARATION

(To be typed on Firms letterhead)

I/We will not withdraw or modify the bid submitted by me/us during the period of validity or if awarded the contract and fail to sign the contract or to submit a performance security before the deadline defined in the tender document.

Yours sincerely,

(Authorised signature & seal of the

Date: **bidder)** Address:



## FORMAT FOR PERFORMANCE GUARANTEE BOND

(To be typed on Non-judicial stamp paper of the value of One Hundred Indian National Rupees)

{TO BE ESTABLISHED THROUGH ANY OF THE NATIONALIZED BANKS/SCHEDULED BANKS WITH A CLAUSE TO ENFORCE THE SAME ON THEIR LOCAL BRANCH OR ANY SCHEDULED BANK (OTHER THAN NATIONALIZED BANK). BONDS ISSUED BY CO-OPERATIVE BANKS ARE NOT ACCEPTED}

To,

The Assistant Registrar (MMD) Indian Institute of Technology Dharwad WALMI Campus, Dharwad – 580011

#### LETTER OF GUARANTEE

This Bank further agrees that the decision of Indian Institute of Technology Dharwad (Buyer) as to whether the said Tenderer (Seller) has committed a breach of any of the conditions referred in tender document / purchase order shall be final and binding.

#### Notwithstanding anything contained herein:

- iv. This Bank Guarantee shall be valid up to .....(date) and

This Bank further agrees that the claims if any, against this Bank Guarantee shall be enforceable at our branch office at ...... (Address of local branch).

Yours sincerely,

Date:

Signature and seal of the guarantor: Name of Bank:

Address:

Instruction to Bank: Bank should note that on expiry of Bond Period, the Original Bond will not be returned to the Bank. Bank is requested to take appropriate necessary action on or after expiry of bond period.



# Section IV – Complete Schedule of Requirements and Compliance

	This section has following compliance requirements:					
i Compliance for commercial terms and conditions of tender						
ii Compliance for technical specifications of the equipment to b						
	supplied					
iii	Bidders information & Reasonability of prices					

# i. <u>Table of compliance for commercial terms & conditions of tender (to be filled by bidder)</u>

## (NO FIELD TO BE LEFT BLANK)

S. No.	Terms and Conditions	IIT Dharwad tender requirements	Response by Bidder M/s
1	Nature of supply (to be specified)	Indigenous/Local supply	
2	Price Bid Currency (to be specified)	Local then INR only	
3	Delivery terms (to be specified)	Indigenous/Local then Door Delivery (Refer point 17 of Section-I)	
4	Freight & Insurance	Confirm point 18 of Section-I	
5	3 Year unconditional guarantee from date of successful installation and commissioning	Confirm point 19 of Section-I	
6	Supply & Installation	Confirm point 20 of Section-I	
GST Rate7(If Local supply in India)		Applicable rate @ 5% Confirm point 2 of Section-III	
8	Training & Pre-installation checks	Confirm point 3 of Section-III	
9	Terms of Payment	Confirm point 5 of Section-III	
10	PBG	Confirm point 12 of Section-III	
11	Complete tender document copy	Signed & stamped copy required	
12	PAN	Copy of PAN required	
13	GST	Copy of GST certificate required	
14	ITRs (2018-19 to 2020-21)	Last 3 financial years' ITR required	
15	Proof of Business existence	For a period of more than 3 years required	
16	Previous Experience (Refer point 12 of Section-I)	At-least one performance certificate with Purchase Order copy is required	
17	Blacklisting status Certificate required to confirm the status		
18	OEM Details	Please attach the OEM details	
19	Bidders Information	Please complete the table in point (iii) under	
20	Reasonability of prices	Section-IV to ascertain all relevant details	



## ii. <u>Table of compliance for technical specifications of the equipment to be</u> <u>supplied (DATA VISUALISATION WALL)</u>

Display Dimensions1872 mm (W) × 1053 mm (H) × 2146 mm (D) If a single display of specified dimension is not avallable, at maximum two displays can be concatenated without loss in performance to meet the same.Display Aspect Ratio (W/H)16 : 9Display Color>1 billion colors, 10 bit data pathPixel pitch0.49 mm × 0.49 mm or betterWall ResolutionMinimum 3840 × 2160 pixelsIP ratingIP 50 or betterRefresh rate100/120 Hz or betterCover GlassCorning Gorilla glass or betterResponse Time (typical)Not more than 6.5 msBacklight IlluminationDirect LEDLED Pixel DensityMinimum 40,00,000 pixels/m²Touch PointsAt least 12 simultaneous touch pointsTouch ResolutionSub-pixelTouch Accuracy2.7 mm or betterVideo OutputAt Keast 12 simultaneous touch pointsTouch Accuracy2.7 mm or betterVideo inputAt least 4XHDMIVideo inputAt least 4XHDMIThe product should have following In-built features: Capable of bringing multiple contents & browser based dashboard in one sercenShould be able to re-size (pinch in / out), position and annotate any content on sercenShould have inbuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresCapable of bringing multiple contents & browser based dashboard in one sercen <th>Parameter</th> <th>Minimum performance requirement</th> <th>Whether complied Yes or No</th> <th>Specifications of the quoted product</th>	Parameter	Minimum performance requirement	Whether complied Yes or No	Specifications of the quoted product			
2140 mm (D) If a single display of specified dimension is not available, at maximum two displays can be concatenated without loss in performance to meet the same.         Display Aspect Ratio (W/H)       16 : 9         Display Color       > 1 billion colors, 10 bit data path         Pixel pitch       0.49 mm × 0.49 mm or better         Brightness & Contrast       500 cd/m2 & 3000:1 or better         Wall Resolution       Minimum 3840 × 2160 pixels         IP rating       IP 50 or better         Refresh rate       100/120 Hz or better         Cover Glass       Corning Gorilla glass or better         Response Time (typical)       Not more than 6.5 ms         Backlight Illumination       Direct LED         LED Pixel Density       Minimum 40,00,000 pixels/m <sup>2</sup> Touch Points       At least 12 simultaneous touch points         Touch Points       At least 12 simultaneous touch points         Touch Update Rate       Minimum 200 fps         Touch Latency       Not more than 5 – 10 ms         Touch Accuracy       2.7 mm or better         Video input       At least 4XHDMI         Video output       4X Mini DisplayPort         The product should have following In-built features:       Comparementation         Capable of bringing multiple contents & browser based dashboard in one screen       Should	Display Dimensions						
at maximum two displays can be concatenated without loss in performance to meet the same.Display Aspect Ratio (W/H)16 : 9Display Color>1 billion colors, 10 bit data pathPixel pitch0.49 mm × 0.49 mm or betterBrightness & Contrast500 cd/m2 & 3000:1 or betterWall ResolutionMinimum 3840 × 2160 pixelsIP ratingIP 50 or betterRefresh rate100/120 Hz or betterCover GlassCorning Gorilla glass or betterResponse Time (typical)Not more than 6.5 msBacklight IlluminationDirect LEDLED Pixel DensityMinimum 40,00,000 pixels/m²Touch TypeHigh-resolution IRTouch PointsAt least 12 simultaneous touch pointsTouch ResolutionSub-pixelTouch Accuracy2.7 mm or betterVideo inputAt least 4XHDMIVideo output4X Mini DisplayPortThe product should have following In-built features:Capable of bringing multiple contents & browser based dashboard in one screenShould have inbuilt ksetch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresCapable of taking snapshot of individual assets as well full screen and creating and yill by cortex as a sure of the product in the institute campus if selected as L1 to qualify for the PO to be issuedDevice should be portable and can be relocated easily without the	1 2						
concatenated without loss in performance to meet the same.Display Aspect Ratio (W/H)16 : 9Display Color>1 billion colors, 10 bit data pathPixel pitch0.49 mm × 0.49 mm or betterBrightness & Contrast500 cd/m2 & 3000:1 or betterWall ResolutionMinimum 3840 × 2160 pixelsIP ratingIP 50 or betterRefresh rate100/120 Hz or betterCover GlassCorning Gorilla glass or betterResponse Time (typical)Not more than 6.5 msBacklight IlluminationDirect LEDLED Pixel DensityMinimum 40,00,000 pixels/m²Touch PointsAt least 12 simultaneous touch pointsTouch VpeHigh-resolution IRTouch Update RateMinimum 200 fpsTouch LatencyNot more than 5 - 10 msTouch Latency2.7 mm or betterVideo output4X Mini DisplayPortThe product should have following In-built features:Capable of bringing multiple contents & browser based dashboard in one screenShould have noblavation featuresCapable of traing multiple contents & browser based dashboard in one screenShould have inbuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresCapable of should have collaboration featuresCapable of should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issuedDevice should be patable and can be relocated easily without the		_					
performance to meet the same.performance to meet the same.Display Aspect Ratio (W/H)16 : 9Display Color>1 billion colors, 10 bit data pathPixel pitch0.49 mm × 0.49 mm or betterBrightness & Contrast500 cd/m2 & 3000:1 or betterWall ResolutionMinimum 3840 × 2160 pixelsIP ratingIP 50 or betterRefresh rate100/120 Hz or betterCover GlassCorning Gorilla glass or betterResponse Time (typical)Not more than 6.5 msBacklight IlluminationDirect LEDLED Pixel DensityMinimum 40,00,000 pixels/m²Touch TypeHigh-resolution IRTouch PointsAt least 12 simultaneous touch pointsTouch LatencyNot more than 5 - 10 msTouch LatencyNot more than 5 - 10 msTouch Accuracy2.7 mm or betterVideo Output4X Mini DisplayPortVideo outputAt least 4XHDMIVideo output4X Mini DisplayPortThe product should have following In-built features:Capable of bringing multiple contents & browser based dashboard in one screenShould have inbuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresCapable of shinging sangshot of individual assets as well full screen and creating customised sang gridThe bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issuedDevice should be portable and can be relocated easily without the							
Display Aspect Ratio (W/H)16 : 9Display Color>1 billion colors, 10 bit data pathPixel pitch0.49 mm × 0.49 mm or betterBrightness & Contrast500 cd/m2 & 3000:1 or betterWall ResolutionMinimum 3840 × 2160 pixelsIP ratingIP 50 or betterRefresh rate100/120 Hz or betterCover GlassCorning Gorilla glass or betterResponse Time (typical)Not more than 6.5 msBacklight IlluminationDirect LEDLED Pixel DensityMinimum 40,00,000 pixels/m²Touch TypeHigh-resolution IRTouch ResolutionSub-pixelTouch ResolutionSub-pixelTouch ResolutionSub-pixelTouch Accuracy2.7 mm or betterVideo inputAt least 4XHDMIVideo output4X Mini DisplayPortThe product should have following In-built features:Capable of bringing multiple contents & browser based dashboard in onescreenShould be able to re-size (pinch in / out), position and annotate any content on screenShould have inbuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresCapable of taking snapshot of individual assets as well full screen and creating customised snap gridThe bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issuedDevice should be portable and can be relocated easily without the							
Display Color>1 billion colors, 10 bit data pathPixel pitch0.49 mm × 0.49 mm or betterBrightness & Contrast500 cd/m2 & 3000:1 or betterWall ResolutionMinimum 3840 × 2160 pixelsIP ratingIP 500 rebetterRefresh rate100/120 Hz or betterCover GlassCorning Gorilla glass or betterResolutionDirect LEDLED Pixel DensityMinimum 40,00,000 pixels/m²Touch TypeHigh-resolution IRTouch TypeHigh-resolution IRTouch Qualta RateMinimum 200 fpsTouch Qualta RateMinimum 200 fpsTouch LatencyNot more than 5 - 10 msTouch Latency2.7 mm or betterVideo inputAt least 4XHDMIVideo output4X Mini DisplayPortThe product should have following In-built features:Capable of bringing multiple contents & browser based dashboard in one screenShould be able to re-size (pinch in / out), position and annotate any content on screenShould have inbuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresCapable of taking snapshot of individual assets as well full screen and creating customised snap gridThe bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issuedDevice should be portable and can be relocated easily without the		1					
Pixel pitch       0.49 mm × 0.49 mm or better         Brightness & Contrast       500 cd/m2 & 3000:1 or better         Wall Resolution       Minimum 3840 × 2160 pixels         IP rating       IP 50 or better         Refresh rate       100/120 Hz or better         Cover Glass       Corning Gorilla glass or better         Response Time (typical)       Not more than 6.5 ms         Backlight Illumination       Direct LED         LED Pixel Density       Minimum 40,00,000 pixels/m <sup>2</sup> Touch Type       High-resolution IR         Touch Points       At least 12 simultaneous touch points         Touch Resolution       Sub-pixel         Touch Latency       Not more than 5 – 10 ms         Touch Accuracy       2.7 mm or better         Video input       At least 4XHDMI         Video output       4X Mini DisplayPort         The product should have following In-built features:       Capable of bringing multiple contents & browser based dashboard in one screen         Should be able to re-size (pinch in / out), position and annotate any content on screen       Capable of taking snapshot of individual assets as well full screen and creating customised snap grid         The bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the P0 to be issued         Device should be pottable and ca							
Brightness & Contrast500 cd/m2 & 3000:1 or betterWall ResolutionMinimum 3840 × 2160 pixelsIP ratingIP 50 or betterRefresh rate100/120 Hz or betterCover GlassCorning Gorilla glass or betterResponse Time (typical)Not more than 6.5 msBacklight IlluminationDirect LEDLED Pixel DensityMinimum 40,00,000 pixels/m2Touch TypeHigh-resolution IRTouch PointsAt least 12 simultaneous touch pointsTouch Qudate RateMinimum 200 fpsTouch LatencyNot more than 5 - 10 msTouch LatencyNot more than 5 - 10 msTouch Accuracy2.7 mm or betterVideo input4X Mini DisplayPortThe product should have following In-built features:Capable of bringing multiple contents & browser based dashboard in one screenShould be able to re-size (pinch in / out), position and annotate any content on screenShould be able to re-size (pinch in / out), position and annotate any content on screenShould be of thing snapshot of individual assets as well full screen and creating customised snap gridThe bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the P0 to be issuedDevice should be portable and can be relocated easily without the							
Wall ResolutionMinimum 3840 × 2160 pixelsIP ratingIP 50 or betterRefresh rate100/120 Hz or betterCover GlassCorning Gorilla glass or betterResponse Time (typical)Not more than 6.5 msBacklight IlluminationDirect LEDLED Pixel DensityMinimum 40,00,000 pixels/m²Touch TypeHigh-resolution IRTouch PointsAt least 12 simultaneous touch pointsTouch Quarter ResolutionSub-pixelTouch Update RateMinimum 200 fpsTouch LatencyNot more than 5 - 10 msTouch Accuracy2.7 mm or betterVideo inputAt least 4XHDMIVideo Output4X Mini DisplayPortThe product should have following In-built features:Capable of bringing multiple contents & browser based dashboard in one screenShould be able to re-size (pinch in / out), position and annotate any content on screenShould be vithuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresCapable of taking snapshot of individual assets as well full screen and creating customised snap gridThe bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the P0 to be issuedDevice should be portable and can be relocated easily without the							
IP rating       IP 50 or better         Refresh rate       100/120 Hz or better         Cover Glass       Corning Gorilla glass or better         Response Time (typical)       Not more than 6.5 ms         Backlight Illumination       Direct LED         LED Pixel Density       Minimum 40,00,000 pixels/m <sup>2</sup> Touch Type       High-resolution IR         Touch Points       At least 12 simultaneous touch points         Touch Resolution       Sub-pixel         Touch Latency       Not more than 5 – 10 ms         Touch Accuracy       2.7 mm or better         Video input       At least 4XHDMI         Video Output       4X Mini DisplayPort         The product should have following In-built features:       Capable of bringing multiple contents & browser based dashboard in one screen         Should be able to re-size (pinch in / out), position and annotate any content on screen       Should have collaboration features         Capable of taking snapshot of individual assets as well full screen and creating customised snap grid       Capable of taking snapshot of individual assets as well full screen and creating customised snap grid         The bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issued       Device should be portable and can be relocated easily without the	-						
Refresh rate100/120 Hz or betterCover GlassCorning Gorilla glass or betterResponse Time (typical)Not more than 6.5 msBacklight IlluminationDirect LEDLED Pixel DensityMinimum 40,00,000 pixels/m²Touch TypeHigh-resolution IRTouch PointsAt least 12 simultaneous touch pointsTouch ResolutionSub-pixelTouch Quate RateMinimum 200 fpsTouch Accuracy2.7 mm or betterVideo inputAt least 4XHDMIVideo Output4X Mini DisplayPortThe product should have following In-built features:Capable of bringing multiple contents & browser based dashboard in one screenShould have inbuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresCapable of taking snapshot of individual assets as well full screen and creating customised snap gridThe bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issuedDevice should be portable and can be relocated easily without the		1					
Cover GlassCorning Gorilla glass or betterResponse Time (typical)Not more than 6.5 msBacklight IlluminationDirect LEDLED Pixel DensityMinimum 40,00,000 pixels/m²Touch TypeHigh-resolution IRTouch TypeHigh-resolution IRTouch PointsAt least 12 simultaneous touch pointsTouch ResolutionSub-pixelTouch LatencyNot more than 5 - 10 msTouch Accuracy2.7 mm or betterVideo inputAt least 4XHDMIVideo Output4X Mini DisplayPortThe product should have following In-built features:Capable of bringing multiple contents & browser based dashboard in one screenShould have inbuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresCapable of taking snapshot of individual assets as well full screen and creating customised snap gridThe bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issuedDevice should be portable and can be relocated easily without the	_						
Response Time (typical)Not more than 6.5 msBacklight IlluminationDirect LEDLED Pixel DensityMinimum 40,00,000 pixels/m²Touch TypeHigh-resolution IRTouch PointsAt least 12 simultaneous touch pointsTouch ResolutionSub-pixelTouch Update RateMinimum 200 fpsTouch LatencyNot more than 5 - 10 msTouch Accuracy2.7 mm or betterVideo inputAt least 4XHDMIVideo Output4X Mini DisplayPortThe product should have following In-built features:Capable of bringing multiple contents & browser based dashboard in one screenShould have inbuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresCapable of taking snapshot of individual assets as well full screen and creating customised snap gridThe bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issuedDevice should be portable and can be relocated easily without the							
Backlight IlluminationDirect LEDLED Pixel DensityMinimum 40,00,000 pixels/m²Touch TypeHigh-resolution IRTouch PointsAt least 12 simultaneous touch pointsTouch ResolutionSub-pixelTouch Update RateMinimum 200 fpsTouch Accuracy2.7 mm or betterVideo inputAt least 4XHDMIVideo Output4X Mini DisplayPortThe product should have following In-built features:Capable of bringing multiple contents & browser based dashboard in one screenShould have inbuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresCapable of taking snapshot of individual assets as well full screen and creating customised snap gridThe bidder should give satisfactory demonstration on the product in the institute campus ji selected as L1 to qualify for the PO to be issuedDevice should be portable and can be relocated easily without the	Cover Glass						
LED Pixel DensityMinimum 40,00,000 pixels/m²Touch TypeHigh-resolution IRTouch PointsAt least 12 simultaneous touch pointsTouch ResolutionSub-pixelTouch Update RateMinimum 200 fpsTouch LatencyNot more than 5 – 10 msTouch Accuracy2.7 mm or betterVideo inputAt least 4XHDMIVideo Output4X Mini DisplayPortThe product should have following In-built features:Capable of bringing multiple contents & browser based dashboard in one screenShould be able to re-size (pinch in / out), position and annotate any content on screenShould have inbuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresCapable of taking snapshot of individual assets as well full screen and creating customised snap gridThe bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issuedDevice should be portable and can be relocated easily without the	Response Time (typical)	Not more than 6.5 ms					
Touch TypeHigh-resolution IRTouch PointsAt least 12 simultaneous touch pointsTouch ResolutionSub-pixelTouch Update RateMinimum 200 fpsTouch LatencyNot more than 5 – 10 msTouch Accuracy2.7 mm or betterVideo inputAt least 4XHDMIVideo Output4X Mini DisplayPortThe product should have following In-built features:Capable of bringing multiple contents & browser based dashboard in one screenShould be able to re-size (pinch in / out), position and annotate any content on screenShould have inbuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresCapable of taking snapshot of individual assets as well full screen and creating customised snap gridThe bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issuedDevice should be portable and can be relocated easily without the	Backlight Illumination						
Touch PointsAt least 12 simultaneous touch pointsTouch ResolutionSub-pixelTouch Update RateMinimum 200 fpsTouch LatencyNot more than 5 – 10 msTouch Accuracy2.7 mm or betterVideo inputAt least 4XHDMIVideo Output4X Mini DisplayPortThe product should have following In-built features:Capable of bringing multiple contents & browser based dashboard in one screenShould be able to re-size (pinch in / out), position and annotate any content on screenShould have inbuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresCapable of taking snapshot of individual assets as well full screen and creating customised snap gridThe bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issuedDevice should be portable and can be relocated easily without the	LED Pixel Density	Minimum 40,00,000 pixels/m <sup>2</sup>					
Touch ResolutionSub-pixelTouch Update RateMinimum 200 fpsTouch LatencyNot more than 5 – 10 msTouch Accuracy2.7 mm or betterVideo inputAt least 4XHDMIVideo Output4X Mini DisplayPortThe product should have following In-built features:Capable of bringing multiple contents & browser based dashboard in one screenShould be able to re-size (pinch in / out), position and annotate any content on screenShould have inbuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresCapable of taking snapshot of individual assets as well full screen and creating customised snap gridThe bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issuedDevice should be portable and can be relocated easily without the	Touch Type	High-resolution IR					
Touch Update RateMinimum 200 fpsTouch LatencyNot more than 5 – 10 msTouch Accuracy2.7 mm or betterVideo inputAt least 4XHDMIVideo Output4X Mini DisplayPortThe product should have following In-built features:Capable of bringing multiple contents & browser based dashboard in one screenShould be able to re-size (pinch in / out), position and annotate any content on screenShould have inbuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresCapable of taking snapshot of individual assets as well full screen and creating customised snap gridThe bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issuedDevice should be portable and can be relocated easily without the	Touch Points	At least 12 simultaneous touch points					
Touch LatencyNot more than 5 – 10 msTouch Accuracy2.7 mm or betterVideo inputAt least 4XHDMIVideo Output4X Mini DisplayPortThe product should have following In-built features:Capable of bringing multiple contents & browser based dashboard in one screenShould be able to re-size (pinch in / out), position and annotate any content on screenShould have inbuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresCapable of taking snapshot of individual assets as well full screen and creating customised snap gridCapable of the product in the institute campus if selected as L1 to qualify for the PO to be issuedDevice should be portable and can be relocated easily without theState and state a	Touch Resolution	Sub-pixel					
Touch Accuracy2.7 mm or betterVideo inputAt least 4XHDMIVideo Output4X Mini DisplayPortThe product should have following In-built features:Capable of bringing multiple contents & browser based dashboard in one screenShould be able to re-size (pinch in / out), position and annotate any content on screenShould have inbuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresCapable of taking snapshot of individual assets as well full screen and creating customised snap gridThe bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issuedDevice should be portable and can be relocated easily without the	Touch Update Rate	Minimum 200 fps					
Video inputAt least 4XHDMIVideo Output4X Mini DisplayPortThe product should have following In-built features:Capable of bringing multiple contents & browser based dashboard in one screenShould be able to re-size (pinch in / out), position and annotate any content on screenShould have inbuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresCapable of taking snapshot of individual assets as well full screen and creating customised snap gridThe bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issuedDevice should be portable and can be relocated easily without the	Touch Latency	Not more than 5 – 10 ms					
Video Output4X Mini DisplayPortThe product should have following In-built features:	Touch Accuracy	2.7 mm or better					
The product should have following In-built features:	Video input	At least 4XHDMI					
Capable of bringing multiple contents & browser based dashboard in one screenShould be able to re-size (pinch in / out), position and annotate any content on screenShould have inbuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresCapable of taking snapshot of individual assets as well full screen and creating customised snap gridThe bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issuedDevice should be portable and can be relocated easily without the	Video Output	4X Mini DisplayPort					
screenImage: screenShould be able to re-size (pinch in / out), position and annotate any content on screenImage: screenShould have inbuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresImage: screenCapable of taking snapshot of individual assets as well full screen and creating customised snap gridImage: screenThe bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issuedImage: screenDevice should be portable and can be relocated easily without theImage: screen	The product should have following	n-built features:					
Should be able to re-size (pinch in / out), position and annotate any content on screenImage: Should have inbuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresCapable of taking snapshot of individual assets as well full screen and creating customised snap gridImage: Should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issuedDevice should be portable and can be relocated easily without theImage: Should state	Capable of bringing multiple conten	ts & browser based dashboard in one					
on screenImage: Constraint of the product in the product							
Should have inbuilt sketch board, mirror upto 10 visual workplaces, sending email and with advance collaboration featuresImage: Capable of taking snapshot of individual assets as well full screen and creating customised snap gridThe bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issuedImage: Capable of taking snapshot of the product in the product in the structure campus if selected as L1 to qualify for the PO to be issuedDevice should be portable and can be relocated easily without theImage: Capable of taking snapshot of the product the structure campus if selected as L1 to qualify for the PO to be issued							
email and with advance collaboration featuresImage: Capable of taking snapshot of individual assets as well full screen and creating customised snap gridThe bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issuedImage: Capable of taking statement of the product in the statement of the product of the PO to be issuedDevice should be portable and can be relocated easily without theImage: Capable of taking statement of the product of the PO to be issued							
Capable of taking snapshot of individual assets as well full screen and creating customised snap gridImage: Comparison of the product in the institute campus if selected as L1 to qualify for the PO to be issuedDevice should be portable and can be relocated easily without theImage: Comparison of the product in the issued							
creating customised snap gridcreating customised snap gridThe bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issuedcenter of the product in the Device should be portable and can be relocated easily without the							
institute campus if selected as L1 to qualify for the PO to be issuedDevice should be portable and can be relocated easily without the	creating customised snap grid						
Device should be portable and can be relocated easily without the	с ·	-					

Technical Specifications of Data Visualization Wall:



Since the Data Visualization Wall is used to simultaneously display multiple high-resolution images that are processed by sophisticated software tools having advanced collaboration features; the workstation used to control and drive the same should have following technical specifications.

Technical Specifications of Workstation driving the Data Visualization Wall

	Specifications			
Brand and Model Name	To be specified by supplier (Only a Tower model workstation series to be quoted).			
Processor:	Dual Intel Xeon Gold 6258R 28 Core, 38.5MB cache, base 2.7GHz, up to 4.0GHz or equivalent			
RAM:	at least 512GB 8x64GB DDR4 2933 RDIM ECC Memory			
Storage	SSD: M.2 512GB or more PCIe NVMe Class 40 Solid State Drive HDD: 2TB or more @ 7200rpm SATA Hard Drive			
Graphics Card	Nvidia Quadro RTX 8000, 48GB or more, 4DP, Virtual Link (xx20) or equivalent			
Hard Drive Controllers	Intel Integrated controller (RST-e) with 1-2 Front FlexBay NVMe Drives or equivalent			
Mouse & Keyboard	USB Optical Mouse and USB Multimedia Keyboard (Same make as workstation)			
OS	Linux / Windows			
DISPLAY:	23.8" Professional Series FHD IPS Backlight LED Monitor TCO-08 or higher (Monitor should same make as the workstation) Resolution: 1920 x 1080 at 60Hz or better, Should have 1 no x HDMI 1.4, 1 no x VGA, Minimum 5 no's of built in USB ports (with 1 x USB 3.0 upstream port, 2 x USB 3.0 downstream ports, 2 x USB 2.0 downstream ports)			
AUDIO/MIC	Internal speakers, Audio-out, Headphone-out, Mic- in			
Ports & Slots	FRONT: 1x Universal Audio Jack,2x USB 2.0 Type A, 1 x USB 3.1 Type C [10Gb], 1x USB 3.1 Type A [5Gb] Total: 4* USB Ports			
	REAR: 1 x PS2 Keyboard, 1 x PS2 Mouse, 2 x USB 2.0 Type A (with SmartPower),4 x USB 3.1 Type A [5GB] Total: 6* USB Ports, 2 x Displayport, 1x Universal Audio Jack,1x Kensington Lock slot, 1x RJ45 Network Connector			



	Whether complied Yes or No	Specifications of the quoted product	
Ethernet	10/100/1000 on board Integrated Gigabit Port		
Warranty	3Yr Onsite Service, Next Business Day including Monitor, KBD, Mouse from brand only. In case of HARDWARE breakdown, any service calls must be attended by OEM engineers directly. Post installation, 3-year product warranty should reflect in the support web site of the OEM		
Recyclable Capability	The wastage should be minimum 80% or above recyclable when properly disposed at the end of life cycle. The brand should have a clear cut policy on disposal of the same.		
Security features	Trusted Platform Module, TCG 1.2-compliant Padlock loop (in rear for opt padlock)/Chassis intrusion switch Power-on password Administrator password Hard disk password Boot sequence control Boot without keyboard and mouse Individual USB port disablement		
Documentation	Required documents, printed technical data sheet, White paper and Brochure to be attached substantiating the claims and same to be available in the web site of the brand for verification. (also need to enclose the same for evaluation)		
Demonstration	The bidder should give satisfactory demonstration on the product in the institute campus if selected as L1 to qualify for the PO to be issued		

Note:

- Any other necessary hardwares or softwares needed for the proper functioning of the equipment should be included.
- Authorization letter to be submitted from OEM

We, M/s \_\_\_\_\_ comply with the above requirements.



## iii. <u>Table for bidder information & reasonability of prices (to be filled by bidder)</u>

## **Bidders Information**

1.	Name of the Bidder	
2.	Address of the Bidder	
3.	PAN No.	
4.	GST No.	
5.	State of GST Registration	
6.	E-mail (for the purpose of official communication)	
7.	Contact Person's Name & Designation	
8.	Mobile No.	
	Bank Details of the Bidder:	
	a. Name of the A/c Holder	
	b. Name of the Bank	
9.	c. Branch name	
	d. Account No.	
	e. IFSC Code	
	f. Any other detail	



# **Reasonability of Prices**

(Please quote best minimum prices applicable for premier Educational and Research Institution of National Importance)

## Previous Supply Orders

Name of the Firm \_\_\_\_

Order placed by (Full address of Purchaser)	Order No. and Date	Quantity	Value of Order	Date of completio n of delivery as per contract	Remarks indicating reasons for late delivery, if any and justification for price difference of their supply order & that quoted for IIT Dharwad	Has the Equipment been installed satisfactorily (Attach a Certificate from the Purchaser/ Consigner)	Contact Person along with Telephone No., Fax No. and e- mail address.



## Section V Section - PRICE BID

## Indigenous / Local Supplies (to be quoted only in INR)

Sl. No.	Short Description of Item (as per specifications mentioned in Section IV (ii) of tender document)	Qty.	HSN Code / SAC Code	Amount Quoted* (in INR only)
1.	Supply, Installation and Commissioning of Data Visualisation Wall	01 Nos.		
2.	IGST / CGST / SGST			
3.	GRAND TOTAL BID PRI			

\* Please refer clause 17 (Section-I), clause 15(Section-II) & clause 2 (Section-III) before quoting the prices.

\* In case the bidder intends to provide the break-up of prices quoted, then a separate sheet to be attached.

\* Price quoted should be inclusive of transportation, packing & delivery, installation, repair or replacement

(if any)

- Note-1: Price Bid should be submitted in given format only.
- Note-2: The quantities mentioned above are subject to upward and downward revision, depending on the requirement of IIT Dharwad in future.