



॥ सा विद्या या विमुक्तये ॥

ಭಾರತೀಯ ತಂತ್ರಜ್ಞಾನ ಸಂಸ್ಥೆ ಧಾರವಾಡ

भारतीय प्रौद्योगिकी संस्थान धारवाड

Indian Institute of Technology Dharwad

Near High Court, PB Road, Dharwad-580011

TEL NO: +91 836 2212 839

**TENDER FOR ELECTRICAL WORK AT SP-13 R & D
AREA WALMI CAMPUS IIT DHARWAD**

Tender no.: IITDH/MMD/IPS/2021-22/01

INDIAN INSTITUTE OF TECHNOLOGY DHARWAD
Near High Court, PB Road, Dharwad-580011
TEL NO: +91 836 2212 839

Tender no.: IITDH/MMD/IPS/2021-22/01

NOTICE INVITING TENDER

Name of the work:	Tender for electrical work at sp-13 R & D area Walmi campus IIT Dharwad.
Type of Tender:	Limited Tender Enquiry
Estimate Value:	Rs.3,71,000/-
Cost of tender documents	Free of cost
EMD:	Rs.7,500/- (DD/PO in favour of The Registrar, IIT Dharwad) to be attached with the tender as separate sealed envelope.
Issue of tender:	6 th January 2021
Last date for submission of tender:	Date: 19 th January 2021
	Time: 10:00 AM
Opening of tender:	Date: 19 th January 2021
	Time: 10:30 AM
Contacting Authority:	The Assistant Registrar (MMD) Near High Court, P B Road Dharwad-580011 E-mail: armm@iitdh.ac.in Telephone: 91-836-2212-839

INDIAN INSTITUTE OF TECHNOLOGY DHARWAD

Near High Court, PB Road, Dharwad-580011

TEL NO: +91 836 2212 839

Tender no.: IITDH/MMD/IPS/2021-22/01

1. GENERAL CONDITIONS OF CONTRACT

Sealed tenders are hereby invited on behalf of the Indian Institute of Technology, (IIT) Dharwad, for electrical work at sp-13 R & D area at WALMI campus in IIT Dharwad.

Time for completion: 30 Days from issue of Work order.

2. QUALIFICATION CRITERIA:

Only those bidders fulfilling the following Eligibility Criteria should participate in the tender: -

- 2.1 The Bidder must have carried out similar works in reputed organizations/IITs/IIMs/Govt. offices/PSUs/Central Universities etc. during a period of last 3 years (i.e. must have successfully completed the work during May 2017 till date). Completion certificates etc. to this effect are required to be enclosed.
- 2.2 The Bidder must have valid Electrical license from Electrical Inspectorate office of class I or above.
- 2.3 A Certificate/Undertaking on the letter head of the Company to the effect that the bidder/Manufacturer has not been blacklisted anywhere in India or abroad by any organization. A self-certification to this effect is required to be enclosed.
- 2.4 The Bidder should be registered with concerned statutory authorities for GST/Income Tax etc. The bidder should furnish relevant GST registration documents and PAN/TAN copies along with the bank details of the firm.

Any prospective bidder, not satisfying any of the above mentioned qualification criteria shall be disqualified on technical grounds and the price bid of such disqualified bidder will not be considered for this tender.

3. Tender documents can be obtained from IIT Dharwad website:

https://www.iitdh.ac.in/announcements_worktenders.php

4. Tenders are to be submitted in a serially numbered & bounded manner. The tender should be submitted in the **tender box by the tenderer kept in Office of Assistant Registrar up to 10:00 AM** on or before last date and time of bid submission as mentioned in Notice Inviting Tender (NIT) and will be opened by Assistant Registrar or his authorized representatives in his office / any other place in the Institute on date and time of tender opening as mentioned in NIT, in the presence of such tenderers who desire to attend.

5. Tenders should be addressed to Assistant Registrar, Indian Institute of Technology Dharwad, Near High Court, PB Road Dharwad 580011. The name of the tenderer and the name of the work must be noted on the above.

6. Income Tax PAN number & GST registration number is to be submitted along-with the bid.

7. The tenderers should write in figures as well as in words for the rates quoted by them on the proper form of the tender. All corrections / over writings must be attested by the dated initials of the contractor. The tenderer is advised to avoid offering discount /rebate in the covering page or at the end of the schedule. Instead the same can be incorporated in the unit rate by reducing the unit rates. If at all offered, the discount / rebate percentage offered is to be written in words such as Five percent / point Five percent etc.
8. The rates quoted shall be inclusive of all taxes, royalties etc. The contractor shall quote for all the items whose rates are asked and not leave any blanks all taxes including GST shall be borne by the contractor.
9. The offer should be valid for 60 days from the date of opening for the purpose of issue of acceptance letter. The amount quoted herein after referred to as Base rate must be firm and inclusive of all charges of any kind and inclusive of any kind of liability from / to any authority. GST shall be mentioned separately and must not form part of base price. There will be no extra payment or payment of escalation in the amount under any circumstances whatsoever. Statutory taxes will be deducted at source from the payment against the bill amount.
10. No extra item or substitute item shall be allowed out without prior approval in writing. In case of execution of any extra items(s), apart from the BOQ, contractor must intimate the office of Dean (IPS) to obtain prior sanction for carrying out the work along with the quantities & rates.
11. Work has to be carried out in consultation with the representative as authorized by IIT Dharwad.
12. The tenderer should submit the requisite interest free Earnest Money Deposit (EMD) by pay order or Demand Draft in favour of **The Registrar, IIT Dharwad**. Tenders not accompanied by the Earnest Money Deposit shall not be considered. The EMD of unsuccessful tenderers will be returned within one month of award of work.
13. In case EMD exemption is sought under SME/MSME/NSIC, Valid certificate from MSME explicitly mentioning the tender work herein, is required to be submitted.
14. The full value of Earnest Money Deposit is to be absolutely forfeited to the Director, IIT Dharwad or his authorized representative, with prejudice to any other rights or remedies to the Director, IIT Dharwad or his authorized representative, if the contractor fails to commence the work within 15 days continuously from the schedule date of commencement specified.
15. Defect Liability period will be 03 months from the date handing over the finished work for IIT beneficial use.
16. No part of the contract shall be sublet without written permission of IIT Dharwad nor shall transfer be made to power of Attorney authorizing others to receive payment on contractor's behalf.
17. IIT Dharwad reserves the right to reject any tender or all the tenders without assigning any reason therefore.
18. The Contractor shall comply with the provisions of all Acts, Statutes, Rules, Regulations etc. of the Central and State Government as the case may be that may apply to his case and if necessary, get himself duly registered as required by the said Acts, Statutes, Rules, Regulations etc.
19. The contractor for the work shall be liable to pay applicable tax (including Taxes on works contract to state Government) if any that may be levied by the State or Union Government. Any request contrary to this will not be accepted.

20. Completion period: 30 days from issue of work order.

21. Terms of payment: As per the measurements at site and on certification of the site engineer.

- a) The contractor shall submit his bill in triplicate along with measurement sheet.
- b) The payment shall be released through NEFT/RTGS payment system only in the bank account of the contractor after necessary deduction of statutory dues.
- c) TDS and other Statutory taxes shall be deducted at the source from the bills.
- d) 5% of the bill amount will be retained by IIT Dharwad as Security Deposit. The same shall be released after 03 months (Three months) from the date of commissioning / handing over of the successful completion of the contract.
- e) The Earnest money deposit paid at the time of tender, will be released after payment of final bill.

22. It shall be open to the Institute to abandon or give up at any stage of the construction of any of the said works or any part thereof. In the event of such abandonment or giving up or in the event of termination of the agreement, the Contractor shall be paid up to the work performed by then

23. Termination of contract If the Contractor fails to perform any of its obligations under this agreement or if Institute is dissatisfied with the services of the Contractor, Institute may issue seven days' written notice intimating the Contractor of their failures or deficiencies and calling upon Contractor to rectify within such time as may be specified in the notice and if the Contractor fails to perform such obligation or make good such deficiencies as pointed out to the Contractor in the notice, Institute may terminate the services of Contractor under this agreement. Institute may also terminate the Contract hereunder:

- i) if the firm is adjudged bankrupt or
- ii) if they make a general assignment for the benefit of their creditors or
- iii) if a receiver is appointed on account of their insolvency or
- iv) they disregard law, ordinances, rules, regulations or orders of any public authority having jurisdiction on the works.

The termination shall be without prejudice to all rights, liabilities and remedies that have arisen or accrued till date of such termination or that may arise on account of such termination and Institute may get the project completed by whatever method they may deem expedient. In such case, the Contractor shall not be entitled to receive any further payment, if due, until the loss, damage or expense incurred by Institute due to breach of this agreement by Contractor have been settled.

In case the Contractor abandons the work during the course of the project, the Institute has the right to appoint an alternate Contractor or make an arrangement for carrying out the work of Contractor, at the risk and cost of the Contractor. Traveling / daily allowances shall not be payable to the Contractor, its representatives, officials and consultants engaged by it for their visit to construction site, offices of local authorities, Employer's office or any other place in Dharwad.

The scope of work broadly described herein and assigned to Contractor, as their area of responsibility is inclusive of all constancy and other services required in connection with the completion of work whether specifically mentioned herein or not and rendering such constancy services will not entitle the Contractor to charge any additional fees in as much as the same are included in the overall professional fees payable to them.

24. Liquidated Damages Clause:

If any delay in execution of the works is attributable to the acts or omissions and commissions of Contractor Institute shall be entitled to recover liquidated damages at the rate of 0.5% of the total fees per week of delay limited to maximum of 10% of the total actual fees payable.

25. Professional indemnity: Contractor warrants that it shall exercise high degree of care and diligence in rendering the services pursuant to this agreement and that; such services shall be of a quality and standard satisfactory to Institute. The Contractor shall indemnify Institute from any damage or loss arising from such lack of care and diligence or arising out of any unsatisfactory performance of service by Contractor. The contractor is required to obtain a Contractor All Risk (CAR) policy for successful and safe completion of project. Contractor shall provide a copy of this policy to Institute showing that such insurance has been taken and being maintained and that all the premia thereon have been paid. A certified copy of such insurance policy shall be deposited with Institute.

26. Dispute Settlement: In case of any dispute or difference arise between the parties during the progress of or after construction of this contract or touching or relating either to the said buildings or works, or to any other matter or thing arising directly or indirectly under this contract, then and in such an event the same shall be referred to Director, IIT Dharwad as the SOLE ARBITRATOR who shall alone consider and determine the same, whose decision / award shall be binding and conclusive upon both the said parties and this clause shall be deemed a submission within the meaning of Arbitration and Conciliation Act 1996 or Statutory modification or re-enactment thereof. It is specifically agreed that the Contractor shall continue to render its services provided herein with all the due diligence, professional skill and tact notwithstanding that any matter, question or dispute has been referred to arbitration. The venue of Arbitration proceedings shall be Dharwad. It is further agreed between the parties as hereto that the Dharwad Courts alone shall have the exclusive jurisdiction.

27. Site: The contractor shall remove all surplus materials, debris etc. out of the IIT Campus from the site of work on completion work and will hand over the site clean before the bill is processed for final payment. Dismantled materials if any (declared by Engineer-in-charge of the work) shall be returned to the Estate/ Electrical stores by the contractor at his own cost. The disposal of material shall be done in environmental friendly way and complying with the local rules and regulations.

28. Security**a. Movement of contractor's materials:**

Any materials which are removed from the site of work and are required to be taken out from the IIT campus, the contractor should follow the following procedure:

The contractor shall apply in writing to the Engineer- in-charge the details of the materials to be removed including which are rejected etc. This application shall be endorsed by the engineer in charge or his authorized representatives. The materials shall only be allowed to go out of IIT campus after counter signature of the security officer and checked at the gate. No materials/tools will be allowed to be brought on holidays/Saturdays/Sundays inside the campus. Contractors can bring the materials/tools/between 0900 hours and 1700 hours on any working day (Monday to Friday). This may please be noted.

b. Search:

Thorough search of all persons and transport shall be carried out at each gate and for as many times as gate is used for entry or exit and may also be carried out at any time or any number of times at the works site within the restricted area.

c. Working Hours:

The units controlling restricted areas usually work during five days in the week and remain closed on Saturday and Sundays. The working hours available to contractor's labour and staff are however appreciably reduced because of the time of entry and exit during working hours. The exact working hours, working days and non-working days observed for the restricted areas where works are to be carried out shall be deemed to have been ascertained by the contractor before submitting the tender. The tenderer's attention is invited to the fact that the total number of working hours for units are prescribed in regulations and no work beyond the prescribed working hours shall be permitted.

d. Entry and Exit:

The contractor, his agents, representatives, workmen, etc. and his materials, carts, trucks or other means of transport, etc. will be allowed to enter through and leave from only such gate or gates and at such times as the concerned authorized in charge of the restricted area may, at their sole discretion, permit. Contractor's authorized representatives, if required, are to be present at the places of entry and exit for the purpose of identifying his carts, trucks, etc. to the personnel in charge of the security of the restricted area.

e. Labour Law:

The work will be executed strictly following the Labour Laws of Central Govt & State Govt as may be applicable.

29. Evaluation Criteria

The L-1 will be decided on the Grand Total Rate quoted for the work. All levies/taxes (i.e. GST etc.) must be clearly mentioned in the row provided for the purpose (as per format of commercial bid).

However, the decision of the Competent authority will be final and binding in awarding the order. In case of any clarification required, the same can be clarified from IIT Dharwad before submission of the bids.

The bidders must also note that the quantities may vary (10% more or less). Additional items may also crop up other than the listed items as per site conditions.

Bidder Information

1.	Name of the Bidder	
2.	Address of the Bidder	
3.	PAN No.	
4.	GSTN No.	
5.	State of GST Registration	
6.	E-mail	
7.	Contact Person's Name & Designation	
8.	Mobile No.	

INDIAN INSTITUTE OF TECHNOLOGY DHARWAD
Near High Court, PB Road, Dharwad-580011
TEL NO: +91 836 2212 839

Tender no.: IITDH/MMD/IPS/2021-22/01

SCHEDULE OF WORK / BOQ / PRICE BID
(To be quoted on the letter head of the bidder)

<u>Bill of Quantity (to be quoted only in INR)</u>					
Sl No	Particular	Units	Qty	Each Rate	Amount
1	Supplying heavy gauge PVC conduit pipediamm thick confirming to IS 2509 with suitable size bends, junction boxes, adhesive paste etc., and fixing using inverted wood plugs in case of RCC ceiling and RCC wall / stone structure or rawl plugs in case of brick walls and cement plastering the damaged portion using heavy gauge saddles at an interval of 700mm using NF screws.				
	19/20mm dia 2mm thick	Mtr	10		
	25mm dia 2mm thick	Mtr	172		
2	Supplying PVC/GI flexible conduit pipe...mm dia fixing on surface over inverted tapered wooden plugs or phill plugs or rawl plugs and clamped using heavy gauge saddles at an interval of 300mm using NF screws and on either end of the pipe terminated completely				
	20mm	Mtr	20		
3	Supplying and fixing of PVC casing and capping on the wall or ceiling using necessary materials like bends, junction box, elbows, screws at an interval of 300mm etc. as required				
	25mm	Mtr	88		
4	Supplying and wiring adopting loop system in existing PVC Conduit /casing capping casing capping using 2x1.5Sqmm (Phase & Neutral) & 1x1.0 sqmm (Earth wire) FRLS multi strand PVC insulated copper wire (confirming to IS-694: and latest amendments) without control switch shall be fixed on the existing plastic sheet/ gang box, the other end of the wires shall be terminated with sufficient loose length in a wood/PVC round block. complete for each outlet.				
	Long point above 6Mtr upto 10Mtr from tapping point to out let via switch box	No's	9		

5	Wiring for lighting/power circuit using one of FRLS PVC insulated 1100V grade, multistrand copper wire with low conductor resistance single core in open or concealed system of wiring with specified IS-694:confirming to latest amendments				
	1.5 sqmm	Mtr	217		
	2.5 sqmm	Mtr	373		
	4 sqmm	Mtr	684		
6	Supplying and fixing surface/flush mounting unbreakable PVC modular box suitable for mounting modular switch plates with due groove cutting in Brick/C.C wall, including necessary rawl plugs, Machine/NF screws etc., complete.				
	1-3Way	No's	8		
	6 Way	No's	11		
	10-12Way	No's	11		
7	Supplying and fixing superior quality modular switch mounting polycarbonate plate with necessary supporting back plate with required nos. of machine screws, bolts nuts etc., complete on the existing metal/PVC box				
	1 to 3 Module	No's	8		
	6 Module	No's	11		
	10 -12 Module	No's	11		
8	Supplying and fixing of modular switch & connected accessories on existing modular switch plate as per IS 3854 and IS 1293.				
	6Amps one way Switch	No's	29		
	6Amps 3way socket	No's	25		
	16Amps one way switch	No's	44		
	6/16Amps universal socket	No's	47		
9	Supplying and fixing Moulded Case Circuit Breaker (MCCB) over the existing wood/panel board using necessary screws, bolts, nuts, necessary phase separators, handle and wiring complete. Protection of Overload and Short circuit with thermal Magnetic/Microprocessor release and Earth Fault as per IS-13947. (Icu = Ics) THREE POLE				
	160Amps 25kA.	No's	1		
10	Supplying and fixing miniature circuit breakers on existing MCB distribution boards using necessary fixing materials and 'C' Type curve, indicator ON/OFF, energy cross-3 with Short circuit breaking capacity of 10K and complete wiring as required confirming to IEC 60898.				
	6-32Amps SP	No's	6		
	6-32 Amps DP	No's	6		
	6-32Amps TPN	No's	4		
	50-63Amps TPN MCCB with rotary handle	No's	4		

11	Supplying and fixing regular MCB distribution boards on wall / wood board / flush mounting using required clamps, bolts, nuts etc., with provision for fixing suitable type capacity MCB's single phase / 3 phase / single door with powder coated painting. Made out of 14 SWG MS enclosure.				
	2Way MCB Box	No's	3		
12	Supplying of 1.1 KV LT UG cable XLPE or Heat resistant PVC insulated, PVC extruded Inner sheath armoured UG LT cable as per IS-1554 (Part-1) or IS-7098 Part-1, Armouring strip thickness in average +5% and resistivity 14 Ohms/Kms (Max) as per IS-3975				
	3.5 core 95 sqmm	Mtr	52		
13	Labour charges for laying of 1.1 KV class UG cable in existing trench GI pipe / stoneware pipe / on wall / on pole as required.				
	In existing trench/duct.				
	95 sqmm to 150sqmm	Mtr	52		
14	Digging of trench of 0.6m deep x 0.50 mtr wide refilling the trench to the required ground level and consolidating etc., complete. (As per Civil SR KSRB I-2, P-7)				
	In soil (ordinary)	Mtr	42		
15	Supplying and fixing of class A (medium duty) GI pipe of wall thickness not less than 3.25mm on pole/wall/drain crossing with necessary clamping arrangements for UG cable of 1.1 KV.				
	50mm	Mtr	3		
16	Supplying and fixing L.T. cast Iron pot heads suitable for 1.1 KV class UG cable filled with necessary bitumen/insulating compound complete with terminals, clamps, bolts, nuts and washers etc.				
	95sqmm	No's	1		
17	Supplying tinned copper lugs and crimping and wiring to terminal point for wire of the following sizes.				
	95 sqmm Long Barrel	No's	8		
18	Supplying and fixing of heavy duty cable glands suitable for UG cable of 1.1 KV class (metal only)				
	32mm dia	Each	2		
	45mm dia	Each	2		
19	Supplying & Fixing Chemical earthing for grounding. Conduits, IC cutouts & other equipments backfill compound which is non-corrosive, thermally conductive, potential to permissible limits, superior Fault conduction capacity, non toxic, weather resistance & capable of achieving ohmic value less than one ohm				
	Using 6ft. Copper bonded rod with backfill	No's	4		

	compound				
20	Supplying of recess mounting non integral typeLED W luminaire comprising of pressure decast/extruded aluminium housing, with spring loaded fase ceiling clamps, Power LEDs with CCT 6500 degree K, CRI> 70%. efficacy >100 lumen per watt, 120degree beam spread, life> 25000 burning hours and Compliance to IS 10322/IEC 60598, LM 79 & LM 80. The lamp compartment is enclosed with anti glare opal diffuser which enhances the lighting level. LEDs are driven by HF electronic driver integrated in a separate control gear assembly., with PF > 0.95, power loss should < 5% of lamp wattage., short circuit & open circuit protection to be integrated in the circuit, , THD less than 20%, Life as per LM 79. The operating input voltage should be between 130 to 275 volts. BIS Approved and Tested by NABL/ CPRI accredited laboratory with 2 years Warranty against any manufacturing defect working under standard electrical condition.				
	LED modular down light 1'x1' 34 -22watts	No's	6		
21	Supplying offeet - PVC Batten with integrated LED tubeW with high quality diffuser with Life of 25000 burning hours & 70% lumen maintenance with CRI > 80. Power Input: 220-240V @ 50/60Hz & Power factor >0.9 along with CE approved. 2 years Warranty against any manufacturing defect working under standard electrical condition.				
	LED light fighting 1 x4'- 20/22 w	Nos	6		
22	fixing all types and all capacities of fluorescent / false ceiling / spot light / CFL / LED fittings indoor on the wall / ceiling / rafters / girders using 23/0.0076" twin twisted PVC insulated wires, required Nos of round blocks and clamps				
	On wall / ceiling / Rafter / Girders	No's	12		
23	Supplying and running of GI/Copper strips for grounding connections, using necessary fixing materials as required.				
	25x3mm GI strip	Mtr	40		
24	Supplying and fixing of Metal Socket set of 2pole and earth plugs and socket for incorporating SP and TP MCB (Without MCB). The entire plug and socket shall be mounted in a thermoplastic / powder coated metal box & wired Completely. TP & N				
	30Amps (3ph)	No's	4		
25	Supplying & fixing of Porcelain fuse channel with cut out on existing wooden/panel using necessary nuts, bolts and washers.				
	200Amps	No's	3		

26	Supplying and fixing PBBC/Bakelite straight or slant batten holder and wiring with 60w/230 volts lamps.	No's	6		
27	Supplying of 1440rpm heavy duty exhaust fan with bracket blades suitable to operate on 230V 50Hz, AC Supply complete.				
	15" Sweep (450mm)	No's	3		
28	Supplying capacitor type ceiling fan complete with down rod blades, shackle, canopies etc., for operation on 230 volts, 50 cycles. Single phase AC supply conforming to ISS-374-1979 and with double ball bearing system.				
	48" Sweep (1200mm) Regular model	No's	1		
29	Fixing a ceiling / Wall mounting fan of all capacities and all types to the existing 'S' hook with fan regulator to the existing board together with supplying and fixing 5 amps. ceiling rose, necessary length of 23 / 0.0076 inch PVC insulated twin twisted copper wire and wiring.	No's	1		
30	Supplying, fixing and wiring earth leakage relay with core balanced current transformer suitable for single phase 50 Hz AC with latest microcontroller based, digital readout of percentage leakage current, programmable delay/auto/ manual reset facility suitable to mount on DIN rail/ flush mounting on panel board.	Each	1		
31	Supplying, fixing and wiring 0 to 600Volts 96x96mm AC Voltmeter on existing panel/wood board.	Each	1		
32	Supplying, fixing and wiring 3 Phase Digital Ammeter / Voltmeter.	Each	2		
33	Supplying, fixing and wiring rotary selector switch suitable for Ammeter.	Each	1		
34	Supplying, fixing and wiring rotary selector switch suitable for Voltmeter.	Each	1		
35	Supplying and fixing of LED type panel board indicating lamp with required colour suitable for 230/440v A.C. 50 Hz 12/24v D.C.	Each	3		
36	Supplying, fixing and wiring 50/5 to 400/5Amps 5VA burden Current Transformer. Class 0.5 accuracy with Tape Wound.	Each	3		
37	Supplying amps rated 3phase with neutral bus bar using required capacity electrolytic aluminium strips covered with heat shrinkable coloured PVC sleeve, mounted on phenolic/FRP/DMC insulator which are mounted on powder coated 40x6mm M.S.flat frame work in existing panel board. The bus bar shall have suitable holes for termination of incoming and outgoing cables as per IS specification with necessary bolts, nuts and washers etc., complete.				

	250Amps 4x30x10mm Aluminium Strips	Mtr	12		
38	Supplying and fixing angle iron frame work fabricated out of M.S. angle iron.. and M.S. flat ... with bolts, washers etc., and painted with 2 coats of red oxide and then two coats of approved paint.				
	50x50x6mm	Mtr	10		
39	Fabricating supplying and mounting MS box made out ... SWG suitable for floor / wall mounting, fully weather proof with provision for better heat dissipation, provided with hinged front cover, equipped with tamper proof locking arrangements, with suitable size clamps with necessary cable entry pipe with gland and box should be finished with 7 tanks treatment with powder coated paint and finally finished with approved colour etc., complete.				
	14SWG	sq.cms	54348.3		
40	Wiring for lighting/power circuit using one of PVC insulated 1100V grade, stranded Aluminium wire single core in open or concealed system of wiring.				
	120 Sqmm	Mtr	20		
41	Supplying, fixing, wiring, earth electrode for grounding conduits, I.C. cutouts and other equipment's on the meter board using 40mm dia 2.90mm thick GI pipe 2.5 mtr long buried in a pit ... The pit should be filled with equal proportion of salt and charcoal 150mm all-round the pipe to complete depth. The connection from the pipe to the conduit etc., is to be established through GI wire of size as per ISI specification 7.3.3. of IS 732 using 12mm dia bolts, nuts, washers and check nuts etc., the pipe shall have 16 through holes of 12 mm dia	Nos	2		
42	Supply and laying double walled corrugated (DWC) HDPE Pipe including all necessary connecting Sockets/Couplings/Tees/Bends/End-caps of same materials in existing trench as per IS 14930 part -II suitable for drawing underground cables.				
	110mm OD / 94mm ID	Mtr	45		
	Total				
	GST/Taxes as applicable				
	Grand Total				

Declaration: I/We do hereby accept all the terms and conditions laid down in the tender document for the above said work/supply. I/We also agree to the condition that the right to suspend the tender process or part of the process, to accept or reject any or all the tenders at any stage of the process and/or to modify the process or any part thereof at any time without assigning any reasons thereto is reserved by the Competent authority of the Institute without any obligation or liability whatsoever.

Signature of the Bidder/Manufacturer with date and seal